

BIOROCK®, the system that meets all your needs!

LET'S COMPARE			
TRADITIONAL SEWAGE TREATMENT SYSTEMS	Reed beds	Electric plant	BIOROCK®
Compact, small footprint	X	1	V
Odourless	X	1	/
Not dependent on soil conditions	X	√	/
Tolerates variable loading conditions	✓	X	/
The treatment process doed not require energy	√	X	V
Long absence perionds possible	✓	X	/
No mechanical components: no breakdowns	√	X	/
Silent	√	X	/



Previously you had to choose... between a variety of Electric Treatment Plants

and Reed Bed Systems

Now there is **BIOROCK®**

The complete biological, energy-free process

BIOROCK® Media:

BIOROCK uses a material with huge surface area which allows colonization of the necessary bacteria, a process which is essential for the effective treatment of domestic wastewater.

The BIOROCK media is highly resistant to degradation and remains extremely stable over the long term - our 25 years' experience in the industry being proof of this.

- Very stable inorganic material does not break down over time, unlike "organic" media.
- Requires little maintenance scraping and scarification is not necessary, unlike for organic media.
- The structure and composition ensures unsurpassed and unique surface treatment with exceptional purification results.
- Ecological material, locally produced and recyclable.

BIOROCK offers a much more efficient and ecological wastewater treatment technique compared to traditional techniques that are very high in maintenance and energy consumption.



Enjoy the silence - no moving parts

Pre-filter - retains the solids in the Primary Tank


The treatment process does not require any electricity, leading to costs savings

The air circulation is by natural draft giving silent operation.

No mechanical or electrical components = no power consumption

The BIOROCK® Media does not clog

The overflow alarm operates in the event of a discharge problem



Lowest Operating Costs

The seperate primary tank ensures a longer de-sludge interval of 3-4 years giving furtfer cost savings

Requires minimal mantenence

The BIOROCK carrier contains microscopic pollution degrading bacteria preventing it from clogging. 10 years warranty on the BIOROCK media

The natural treatment process continues even in case of lower waste water flow through the system

The BIOROCK media has the ability to handle (seasonal) waste water loadings, even during log absence periods up to six months. Go on holliday with peace of mind!



The treated water is discharged either underground (infiltration) or into water courses, depending on the ground type*



The treated water can be discharged by pump if required.

* subject to national regulations

BIOROCK® is the best system for treatment of wastewater.

BIOROCK was established in 1988 and is an internationally acclaimed and experienced company leading in compact sewage water treatment technology.

BIOROCK systems have already been installed worldwide. Our proven performance leads to trust, which is the basis of our success.

Significant savings through very low maintenance and running costs:



No energy costs for the treatment process: Cost savings per year *: £60 to £100*



Long emptying intervals of the primary tank: 3-4 years only. Cost savings per year *: £200



Minimal maintenance and repair costs. Not prone to failure. No breakdowns, thus no need for expensive spare parts.



Save up to £300 per year*

*compared to a conventional wastewater treatment plant

Unique advantages:

- ✓ Completely odourless and silent
- **✓** Excellent treatment performance
- ✓ Free Initial Consultation
- ✓ Installation supervised by trained BIOROCK® Certified professionals



















